




T09N-R01E-27_0000_MCS

Woods Co. Tynan 10-17-76
 Benton Twp. Section 27 9 12



James S. Strong
 James S. Strong
 Reg. No. 9234





FILED
 OCT 19 1976

J. L. M. Davis

Woods, James L. & Eva To -
Husband & Wife, Charles K. & Sharon M.
Benton Imp. 27-9-1E
5.02 A

7-16-75



LEGAL DESCRIPTION

A part of the East 1/2 of the Southeast 1/4 of Section 27, Township 9 North, Range 1 East, bounded and described as follows: Beginning at a point that is 1775.54 feet North and 736.32 feet West of the Southeast corner of said section 27; thence running North 84°-34' East 537.66 feet; thence running South 52°-38' West 275.84 feet; thence running South 37° West 300.0 feet; thence running South 105.0 feet; thence running South 41°-33' West 317.45 feet and to the center of Spriggs Road; thence running on and along the center of said road the following courses: North 14° West 250.0 feet; North 08°-30' West 315.0 feet and to the centerline intersection of Brock Road; thence running on and along the center of Brock Road the following courses: North 62° East 138.0 feet; North 37° East 100.0 feet and to the point of beginning, containing 5.02 acres, more or less.

CERTIFICATE OF SURVEY

This is to certify that the above represents a survey completed July 12, 1975.


This is to certify further that no violations or encroachments exist.



James S. Strong
James S. Strong
Reg. No. 9234

27-9N-1E

Woods to People



Woods to People Sec 27 9-1E


Sec 27-9-1E

BOCK

8-24-79

3596^{sq}

LOREN BOCK



DESCRIPTION:

A part of the Southwest quarter of the Southwest quarter of Section 27, Township 9 North, Range 1 East, Monroe County, Indiana described as follows: Beginning at a point 327.97 feet running South 88 degrees, 53 minutes, 10 seconds West from the Southeast corner of the Southwest quarter of the Southwest quarter of Section 27, T.9 N., R.1E., thence running South 88 degrees 53 minutes 10 seconds West for 350.0 feet, thence running North 12 degrees 32 minutes 05 seconds West, for 209.83 feet, thence South 85 degrees 33 minutes East for 348.30 feet, thence South 15 degrees 45 minutes East for 177.67 feet and back to the point of beginning, containing 1.58 acres more or less.

Raymond Graham

Raymond Graham
R.P.E. 8409 Indiana
3215 N. Smith Pike
Bloomington, Indiana

FILED

AUG 24 1979

John W. Davis
Auditor Monroe County, Indiana



EGENOLF RIDGE, INC.
D.R. 309, P. 88
ZONING - FR

STEVENS, ERIC
INST. NO. 2003032274
ZONING - FR

MARLETT, STEVEN D. & PAMELA
D.R. 355, P. 134 &
D.R. 355, P. 133
ZONING - FR
10.19 Acres Total
0.09 Acres Pond
10.10 Acres Buildable

MARLETT, STEVEN D. & PAMELA
D.R. 355, P. 133 &
D.R. 355, P. 134
ZONING - FR
9.70 Acres

S • 5/8" x 24" REBAR w/CAP SET THIS SURVEY
MN • MAG NAIL SET THIS SURVEY

ELLIS, FRANK & ELIZABETH
D.R. 225, P. 05
ZONING - FR


EXISTING
POND
0.09 AC

S01°46'36"W 113.07'

E. NORTH SHORE DRIVE
(MINOR COLLECTOR)

HUDSON, DANE & CATHRYN
INST. NO. 2002027456
ZONING - FR

PATTERSON, ROBERT & RHONDA
INST. NO. 2000002977
ZONING - FR



February 21, 2008
Douglas R. Curry

MARLETT ADMINISTRATIVE SUBDIVISION
PT. OF THE N.E. 1/4, S.E. 1/4,
SECTION 27, T 10 N, R 1 E,
MONROE COUNTY, INDIANA

Date: 02-21-2008

Project No: 5007155



BYNUM FANYO & ASSOCIATES, INC.
528 North Walnut Street
Bloomington, Indiana 47404
Phone (812)332-8030 Fax (812)339-2990

April 10th AD 1856

Ran the following lines and made the following corners in Section No 27 T 19 R 1 E for Jonathan Richeson, William Alexander (sen) Lewis Moser, Russel Asher, & John Cox. Length of the line from the S. E. corner of Section No 27 to the N. E. corner of the same 324 Poles 16 1/2 links half distances 162 Poles & 8 1/4 links

+ Length of line east and west through the center 326 Poles 16 links Sep 18 links

New witness made at the S. E. corner of said section Sugar 20 inches in diameter S 80° W 30 links dist
White oak 24 " " " N 48° W 32 " "

Corner made 81 Poles 4 links north of E 1/2 mile post
White Birch 20 inches in diameter S 70° E 21 links dist
Birch forked at ground 15 " " " N 34° W 16 " "

William McCoy and David L Griffin chain bearers. Sworn and Subscribed to this April 10th AD 1856.

James W Spencer
M C Surveyor

April 11th AD 1856

Ran the following lot of land in Benton township Monroe county Indiana Township No 9 north of Range No 1 East and in Section No 27 of said Township bounded as follows to wit Beginning at a stone the eastern half mile post of said Section No 27 thence S 85° W 81 Poles 16 1/2 links to a stone thence S 4° E 33 Poles 3 links to an elm tree mentioned in Wm Alexander's deed thence N 89 1/2° E 7 Poles 21 links thence S 64° E 13 Poles 21 links thence N 21° E 11 Poles 14 links then N 45 1/2° E 18 Poles thence N 60 1/2° E 22 Poles 19 links to a certain Birch tree mentioned in said Alexander's deed 15 inches in diameter and corner thence N 88 1/2° E 14 Poles 14 links to a red oak standing in the Section line thence N 6° W 23 Poles 7 links to the beginning containing 21 A 2 R 11 P David L Griffin and Wm McCoy chain bearers Sworn and Subscribed to this April 11th AD 1856

James W Spencer
M C Surveyor